

PRODUCT BROCHURE

Think larger, Money smaller



LED BULBS

Applications

HOME	Product Name	Cat. Ref.	Wattage	CCT	Base Type	Beam Angle	Product Size	Pack Qty	MRP (Incl. of all taxes)
OFFICE	High Lite	EB-HL-5W	5W	65K/30K	B22/E27	140°	5X57X100mm	50 N	160.00
RETAIL	High Lite	EB-HL-7W	7W	65K/30K	B22/E27	140°	57X57X100mm	50 N	170.00
HOSPITAL	High Lite	EB-HL-9W	9W	65K/30K	B22/E27	140°	57X57X100mm	50 N	180.00
COMMERCIAL	High Lite	EB-HL-12W	12W	65K/30K	B22/E27	140°	68X68X125mm	25 N	370.00
BANK	High Lite	EB-HL-18W	18W	65K/30K	B22/E27	140°	68X68X125mm	25 N	410.00
HOSPITALITY	High Lite	EB-HL-23W	23W	65K/30K	B22/E27	140°	96X96X126mm	25 N	500.00
	High Lite Backup	EB-HLB-9W	9W	65K/30K	B22/E27	140°	70X70X140mm	25 N	550.00



Electric Blue LED bulbs with high luminous efficacy and new generation technology for better heat dissipation. Environment friendly, High Power Factor and High CRI with 3.0 kV Surge protection.

Material : PPT with Aluminium Insert, Aluminium B22 cap with Nickel plating.



HIGH WATTAGE BULBS


Applications

HOME	Product Name	Cat. Ref.	Wattage	CCT	Base Type	Beam Angle	Product Size	Pack Qty	MRP (Incl. of all taxes)
OFFICE	High Lite Bulb	EB-HLB-30W	30W	65K/30K	B22/E27	180°	ø100X183mm	10 N	690.00
RETAIL	High Lite Bulb	EB-HLB-40W	40W	65K/30K	B22/E27	180°	ø120X210mm	10 N	780.00
HOSPITAL	High Lite Bulb	EB-HLB-50W	50W	65K/30K	B22/E27	180°	ø120X210mm	10 N	1150.00
COMMERCIAL	PoleStar Bulb	EB-PSB-26W	26W	65K/30K	B22/E27	180°	ø100X210mm	10 N	1200.00
BANK	Pole Star Bulb	EB-PSB-35W	35W	65K/30K	B22/E27	180°	ø100X230mm	10 N	1600.00
HOSPITALITY	Pole Star Bulb	EB-THLB-45W	45W	65K/30K	B22/E27	180°	ø120X250mm	10 N	1800.00

Electric Blue LED T-Series Bulb with Alu.Casting & PC Diffuser which give Better heat dissipation and high luminous efficacy.

Eco Friendly.

Material : Aluminium Pressure Die Casting with PC, Aluminium B22/E27 cap with Nickel plating.



LED BATTEN									
Applications	Product Name	Cat. Ref.	Wattage	CCT	Base Type	Viwe Angle	Product Size	Pack Qty	MRP (Incl. of all taxes)
	Loadstar LED Batten-PC	EB-LDB-5W-PC	5W	65K/30K	N/A	240°	304X23X38mm	20 N	300.00
	Loadstar LED Batten-PC	EB-LDB-10W-PC	10W	65K/30K	N/A	240°	598X23X38mm	20 N	450.00
	Loadstar LED Batten-PC	EB-LDB-20W-PC	20W	65K/30K	N/A	240°	1186X23X38mm	20 N	575.00
	Loadstar LED Batten-PC	EB-LDB-22W-PC	22W	65K/30K	N/A	240°	1186X23X38mm	20 N	700.00
	Loadstar LED Batten-AL	EB-LDB-22W-AL	22W	65K/30K	N/A	240°	1186X23X38mm	20 N	750.00
	Loadstar LED Batten-AL	EB-LDB-24W-AL	24W	65K/30K	N/A	240°	1186X23X38mm	20 N	775.00
	Loadstar LED Batten-AL	EB-LDB-28W-AL	28W	65K/30K	N/A	240°	1186X23X38mm	20 N	899.00

New finished T5 LED Batens by ElectricBlue with high quality diffuser and designer end caps.. It comes with mounnting cla s and power supply cable in the centre of the fixture for easy installaation.

Material : We have available two type material range batten - PC+PC, Aluminium+PC (Polycarbonate)

T8 LED TUBE

Applications

HOME	Product Name	Cat. Ref.	Wattage	CCT	Base Type	View Angle	Product Size	Pack Qty	MRP (Incl. of all taxes)
OFFICE	Aileen T8 Tube -9W	EB-AT8-09W-PCIA	9W	65K/30K	G-13	240°	598Xø26mm	20 N	470.00
RETAIL	Aileen T8 Tube -18W	EB-AT8-18W-PCIA	18W	65K/30K	G-13	240°	1198Xø26mm	20 N	625.00
HOSPITAL	Aileen T8 Tube -9W	EB-AT8-09W-PCPC	9W	65K/30K	G-13	240°	598Xø30mm	20 N	550.00
COMMERCIAL	Aileen T8 Tube -18W	EB-AT8-18W-PCPC	18W	65K/30K	G-13	240°	1198Xø30mm	20 N	700.00
BANK	Aileen T8 Tube -9W	EB-AT8-09W-PCPC	8W	65K/30K	G-13	240°	598Xø32.5mm	20 N	600.00
HOSPITALITY	Aileen T8 Tube -15W	EB-AT8-15W-ALPC	15W	65K/30K	G-13	240°	1212Xø32.5mm	20 N	950.00
	Aileen T8 Tube -20W	EB-AT8-20W-ALPC	20W	65K/30K	G-13	240°	1212Xø32.5mm	20 N	1000.00



ElectricBlue LED T8 tube for replacement of FTL tube 36W/40W tubes with good life & energy saving 85 %.

Material : We have available three type material range - PC+PC, Alu. insert with PC, Alu. Extrusion+PC Diffuser.

SURFACE ALU LED SLIM PANEL

Applications

HOME	Product Name	Cat. Ref.	Wattage	CCT	Base Type	View Angle	Product Size	Pack Qty	MRP (Incl. of all taxes)
OFFICE	Helen Slim RD Surface Al Panel	EB-HSSRDP-06W-AI	6W	65K/30K	N/A	180°	ø120X35mm	20 N	600.00
RETAIL	Helen Slim RD Surface Al Panel	EB-HSSRDP-12W-AI	12W	65K/30K	N/A	180°	ø170X35mm	20 N	1150.00
HOSPITAL	Helen Slim RD Surface Al Panel	EB-HSSRDP-18W-AI	18W	65K/30K	N/A	180°	ø225X35mm	20 N	1300.00
COMMERCIAL	Helen Slim RD Surface Al Panel	EB-HSSRDP-18W-AI	24W	65K/30K	N/A	180°	ø225X35mm	20 N	1800.00
BANK	Helen Slim SQ Surface Al Panel	EB-HSSSQP-06W-AI	6W	65K/30K	N/A	180°	120X120X35mm	20 N	600.00
HOSPITALITY	Helen Slim SQ Surface Al Panel	EB-HSSSQP-12W-AI	12W	65K/30K	N/A	180°	170X170X35mm	20 N	1150.00
	Helen Slim SQ Surface Al Panel	EB-HSSSQP-24W-AI	18W	65K/30K	N/A	180°	225X225X35mm	20 N	1300.00



ElectricBlue LED surface panel light comes with 180 degree beam angle and sends out light evenly in all directions. It adds a nice aesthetic appeal to the room. It can be applied to wall and no false ceiling required.
Material : Aluminum alloy with Milky powder coating.



RECESS ALU LED SLIM PANEL

Applications

HOME	Product Name	Cat. Ref.	Wattage	CCT	Base Type	View Angle	Product Size	Pack Qty	MRP (Incl. of all taxes)
OFFICE	Lucasta Slim RD Recess AI Panel	EB-LSRRDP-03W-AI	3W	65K/30K	N/A	180°	ø85X20mm	20 N	250.00
RETAIL	Lucasta Slim RD Recess AI Panel	EB-LSRRDP-06W-AI	6W	65K/30K	N/A	180°	ø120X20mm	20 N	600.00
HOSPITAL	Lucasta Slim RD Recess AI Panel	EB-LSRRDP-09W-AI	9W	65K/30K	N/A	180°	ø150X20mm	20 N	700.00
COMMERCIAL	Lucasta Slim RD Recess AI Panel	EB-LSRRDP-12W-AI	12W	65K/30K	N/A	180°	ø170X20mm	20 N	800.00
BANK	Lucasta Slim RD Recess AI Panel	EB-LSRRDP-15W-AI	15W	65K/30K	N/A	180°	ø190X20mm	20 N	900.00
HOSPITALITY	Lucasta Slim RD Recess AI Panel	EB-LSRRDP-18W-AI	18W	65K/30K	N/A	180°	ø225X20mm	20 N	1150.00
We have also available Square panel range same wattage same price									

ElectricBlue LED recess panel light give good quality with high brightness and long life, Energy saving up to 85%

It can be applied to recess ceiling.

Material : Aluminum alloy + Milky powder coating + PS+PMMA and for best gripping used Stainless Steel Springs toggle.



RECESS PC LED SLIM PANEL

Applications

HOME	Product Name	Cat. Ref.	Wattage	CCT	Base Type	View Angle	Product Size	Pack Qty	MRP (Incl. of all taxes)
OFFICE	Raiden RD Recess PC Panel	EB-RRDRP-03W-PC	3W	65K/30K	N/A	180°	ø82X22mm	20 N	200.00
RETAIL	Raiden RD Recess PC Panel	EB-RRDRP-06W-PC	6W	65K/30K	N/A	180°	ø120X22mm	20 N	500.00
HOSPITAL	Raiden RD Recess PC Panel	EB-RRDRP-12W-PC	12W	65K/30K	N/A	180°	ø170X22mm	20 N	750.00
COMMERCIAL	Raiden RD Recess PC Panel	EB-RRDRP-18W-PC	18W	65K/30K	N/A	180°	ø220X22mm	20 N	900.00
BANK	Raiden RD Recess PC Panel	EB-RRDRP-24W-PC	24W	65K/30K	N/A	180°	ø296X22mm	20 N	1050.00
HOSPITALITY	Raiden RD Recess PC Panel	EB-RSQRP-03W-PC	3W	65K/30K	N/A	180°	ø82X22mm	20 N	200.00
	Raiden RD Recess PC Panel	EB-RSQRP-12W-PC	12W	65K/30K	N/A	180°	ø170X22mm	20 N	750.00

ElectricBlue LED recess panel light give good quality with high brightness

and long life, Energy saving up to 85%

It can be applied to recess ceiling.

Material : Diffuser Polycarbonate + PC Housing and for best gripping used Stainless Steel Springs toggle.



RECESS PC LED BACKLIT SLIM PANEL

Applications

HOME

OFFICE

RETAIL


HOSPITAL

COMMERCIAL

BANK

HOSPITALITY

Product Name	Cat. Ref.	Wattage	CCT	Base Type	View Angle	Product Size	Pack Qty	MRP (Incl. of all taxes)
Anwar RD Recess PC Panel	EB-ARDRP-05W-PC	5W	65K/30K	N/A	180°	ø82X36mm	40 N	499.00
Anwar RD Recess PC Panel	EB-ARDRP-10W-PC	10W	65K/30K	N/A	180°	ø116X36mm	40 N	800.00
Anwar RD Recess PC Panel	EB-ARDRP-12W-PC	12W	65K/30K	N/A	180°	ø166X36mm	20 N	999.00
Anwar RD Recess PC Panel	EB-ARDRP-15W-PC	15W	65K/30K	N/A	180°	ø166X36mm	20 N	1199.00
Anwar RD Recess PC Panel	EB-ARDRP-15W-PC	20W	65K/30K	N/A	180°	ø220X36mm	20 N	1299.00
Anwar RD Recess PC Panel	EB-ASQRP-05W-PC	5W	65K/30K	N/A	180°	82X82X36mm	40 N	499.00
Anwar RD Recess PC Panel	EB-ASQRP-15W-PC	20W	65K/30K	N/A	180°	220X220X36mm	20 N	1299.00



ElectricBlue LED recess slim Backlit panel light with extra thin edge (10mm) which give more lighting area. energy saving upto 85%. It can be applied to recess ceiling.

Material : Diffuser Polycarbonate + PC Housing and for best gripping used Stainless Steel Springs toggle.

LED SMD & COB DOWN LIGHTER

Applications

HOME	Product Name	Cat. Ref.	Wattage	CCT	Base Type	View Angle	Product Size	Pack Qty	MRP (Incl. of all taxes)
OFFICE	LED DOWN LIGHT SMD	EB-LDLSMD-03W	3W	65K/30K	N/A	180°	ø95X53mm	20 N	350.00
RETAIL	LED DOWN LIGHT SMD	EB-LDLSMD-05W	5W	65K/30K	N/A	180°	ø105X61mm	20 N	400.00
HOSPITAL	LED DOWN LIGHT SMD	EB-LDLSMD-07W	7W	65K/30K	N/A	180°	ø105X61mm	20 N	450.00
COMMERCIAL	LED DOWN LIGHT SMD	EB-LDLSMD-09W	9W	65K/30K	N/A	180°	ø120X67mm	20 N	500.00
BANK	LED DOWN LIGHT COB	EB-LDLCOB-06W	6W	65K/30K	N/A	180°	ø90X53mm	20 N	450.00
HOSPITALITY	LED DOWN LIGHT COB	EB-LDLCOB-12W	12W	65K/30K	N/A	180°	ø110X75mm	20 N	599.00
	LED DOWN LIGHT COB	EB-LDLCOB-18W	18W	65K/30K	N/A	180°	ø138X85mm	20 N	750.00



ElectricBlue LED recess slim Backlit panel light with extra thin edge (10mm)

which give more lighting area. energy saving upto 85%.

It can be applied to recess ceiling.

Material : Diffuser Polycarbonate + PC Housing & in COB PDC and for best gripping used Stainless Steel Springs toggle.

LED BACKLIT TILE & EDGELIT TILE

Applications

HOME

OFFICE

RETAIL

HOSPITAL

COMMERCIAL

BANK

HOSPITALITY

Product Name	Cat. Ref.	Wattage	CCT	Base Type	View Angle	Product Size	Pack Qty	MRP (Incl. of all taxes)
Edgelit 2X2 Panel	EB-EDGPL-36W	36W	65K/30K	N/A	180°	595X595X10mm	4 N	3800.00
Edgelit 2X2 Panel	EB-EDGPL-36W	36W	65K/30K	N/A	180°	1195X295X10mm	4 N	4000.00
Backlit Slim 2X2 Panel	EB-BASPL-36W	36W	65K/30K	N/A	180°	595X595X80mm	2 N	4999.00
Backlit Slim 2X2 Panel	EB-BASPL-45W	45W	65K/30K	N/A	180°	595X595X80mm	2 N	4999.00



ElectricBlue Slim Backlit and Edgelit Panels come with high output LEDs embedded along the edge of their aluminium frames to give glare free uniform lighting & Aesthetically appealing design with classic white finish, Apart from regular 2ft*2ft size, also available in 4ft*1ft and 2ft*1ft sizes to cater to specific architectural requirements.

LED STREET LIGHT								
Applications	Product Name	Cat. Ref.	Wattage	CCT	Base Type	Product Size	Pack Qty	MRP (Incl. of all taxes)
	Heller Street light	EB-HSLL-20W	20W	65K/30K	N/A	N/A	10 N	1499.00
	Heller Street light	EB-HSLL-40W	40W	65K/30K	N/A	N/A	10 N	2200.00
	Heller Street light	EB-HSLL-50W	50W	65K/30K	N/A	N/A	8 N	2800.00
	Heller Street light	EB-HSLL-60W	60W	65K/30K	N/A	N/A	8 N	3200.00
	Heller Street light	EB-HSLL-80W	80W	65K/30K	N/A	N/A	8 N	3500.00
	Heller Street light	EB-HSLL-100W	100W	65K/30K	N/A	N/A	8 N	4999.00
	Heller Street light	EB-HSLL-150W	150W	65K/30K	N/A	N/A	8 N	6999.00



ElectricBlue LED Street light is an energy efficient outdoor lighting source that is used to illuminate roads boundaries and highways. They are used to provide guidance to the drivers cyclists and pedestrians after sunset. Built using top notch materials this LED street light is capable of enduring even the harshest of the climate delivering high performance at all times.

Material : Pressure Die Casting with Polycarbonate diffuser.

Protection : IP66

LED FLOOD LIGHT

Applications


HOME	Product Name	Cat. Ref.	Wattage	CCT	Base Type	Product Size	Pack Qty	MRP (Incl. of all taxes)
OFFICE	Luz Flood light	EB-LZFL-10W	10W	65K/30K	N/A	N/A	10 N	1099.00
RETAIL	Luz Flood light	EB-LZFL-20W	20W	65K/30K	N/A	N/A	10 N	1299.00
HOSPITAL	Luz Flood light	EB-LZFL-30W	30W	65K/30K	N/A	N/A	10 N	1999.00
COMMERCIAL	Luz Flood light	EB-LZFL-50W	50W	65K/30K	N/A	N/A	10 N	2599.00
BANK	Luz Flood light	EB-LZFL-70W	70W	65K/30K	N/A	N/A	10 N	3999.00
HOSPITALITY	Luz Flood light	EB-LZFL-100W	100W	65K/30K	N/A	N/A	10 N	4999.00
	Luz Flood light	EB-LZFL-150W	150W	65K/30K	N/A	N/A	10 N	6999.00



ElectricBlue LED Flood Light is an energy efficient outdoor lighting source that is used to security reasons and also to illuminate a yard deck or driveway.

Material : Pressure Die Casting with Toughened glass

Protection : IP66





ElectricBlueTM
Think larger, Money smaller

Indore Lighting | Commercial Lighting | Energy Saving Lighting